Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



TRADE LIST

FALL, 1927

SPRING, 1928

The R. L. Haag NURSERIES

Jeffersontown

Kentucky

MEMBERS

American Association of Nurserymen Kentucky State Association of Nurserymen

Terms

Usual terms to purchasers of approved credit.

Prices apply F. O. B. Freight or Express Offices at Jeffersontown or Louisville, Ky., and are subject to change without notice.

Packing will be charged at cost.

Liability

We are not liable for injury to stock from frost, hail, fire or other causes beyond our control. Plants become your property on delivery to transportation company and we are not responsible for loss, damage or delay in transit.

SPECIMEN EVERGREENS

Evergreens of proper size herein are real specimen plants, frequently transplanted with room for development. They are grown in a fertile, clay-loam soil and can be lifted with solid, medium-size balls. Due to a changeable, exacting climate, the winters of alternate zero and thawing temperatures, most Evergreens hardy in this section will survive without ill effect the more rigorous winter weather of the northern states.

northern states.		
Inspection is invited.		
BUXUS	Net Price Each B. & I	
Sempervirens		00
21	24 in. 4.5	
Shea		
pyran		
±	(30 in. 6.0	
	14 in. 3.5	
Shea		-
	obes 18 in. 4.5	
	20 in. 5.0	
	22 in. 6.0	00
- · · · ·	$\begin{cases} 24 \text{ in.} & 7.0 \end{cases}$	
Extra heavy shea		
broad pyran		
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Extra heavy		
sheared globes		
· .	22 in. 8.5	
CHAMAECYPARIS		
Lawsoniana		_
	3-4 ft. 3.5 4-5 ft. 4.5	
Alumi		
Triomphe de Boskoop		
21.01.1.1.0	20-24 in. 1.7	
	24-30 in. 2.0	0
Fletcheri		
Nootkatensis Glauca		
Retinispora Filifera (Specimen)		
Pisifera Aurea (Sheared specimens)	5-6 ft. 7. 0 6-7 ft. 9.0	
Plumosa (Sheared specimens)		
Zimiosa (oncurea opecimeno)	51/2.61/2 ft. 7.0	
Plumosa Aurea	[2´ ft. 4.5	0
Heavy shear		0
compact specime	ens $\begin{bmatrix} 3 & \text{ft.} & 6.0 \end{bmatrix}$	
Squarrosa Veitchi		
	$2\frac{1}{2}$.3 ft. 3.5 $3\frac{3}{2}$ ft. 4.0	
	$3\frac{1}{2}\frac{4\frac{1}{2}}{1}$ ft. 5.0	-
	$4\frac{1}{2}$ 5 ft. 5.5	-
	5.51/2 ft 6.0	
Sieboldi	18-24 in. 1.7	
CRYPTOMERIA JAPONICA	4-6 ft. 4.0	0
	6-8 ft. 5.0	-
CUNNINGHAMIA LANCEOLATA		-
	4-5 ft. 4.00	0

CUPRESSUS ARIZONICA

5-6 ft.

3-4 ft.

5.00

2.00

IUNIPERUS Chinensis 3.3½ ft. \$2.75 31/2.4 ft. 3.254.5 ft. 3.75 5-6 ft. 4.25 2.75 Columnaris (Blue) 21/2·3 ft. 3.00 Japonica (Green) 18-24 in. 2.00 Japonica (Green) 11/2·2 ft. spread Pfitzeriana 2·21/2 ft. spread 21/2·3 ft. spread 21/2·3 ft. spread 1.00 2.50 3.25 4.5 ft. spread 5.00 5-6 ft. spread 6.00 7.00 6.61/2 ft. spread (Perfect specimens) 9-10 ft. spread 20.00 3.31/2 ft. staked 31/2.4 ft. staked 4.41/2 ft. staked 6.00 7.008.00 ∫ 21/2.3 ft. staked Sheared 4.00 3 4 ft. staked 5.00 2.00 18-24 in. 2.25 3.00 1.50 3.4 ft. 2.002.75 3.00 4.00 1.75 2.3 ft 3.00 3-4 ft. 5.00 4.5 ft. 7.00 Pyramidalis 3.31/2 ft. 3.00 1.75 24-30 in. 2.25 Virginiana Cannarti 21/2·3 ft. 3 00 3-4 ft. 3.25Elegantissima 2.2½ ft. 21/2.3 ft. Glauca 11/2.2 ft. 2.75 3.00 1.75 2.21/2 ft. 2.25 21/2.5 ft. 2.50 3.31/2 ft. 3 25 31/2·4 ft. 4.00 4.5 ft. 4.75 2.00 Pyramidalis 3-31/2 ft. Schotti 21/2-3 ft. 3.00 2.75 2.00 3.00 1.50 PECAN (Transplanted) 3.4 ft. 1.00 4.5 ft. 1.50 **PINUS** 1.25 1.50 12 in. 2.00 15 in. 18 in. 2.25 20 in. 2.50 Strobus (White Pine) 11/2.2 ft. 1.25 2·21/2 ft. 21/2·3 ft. 2.00 2.50 ã∙4 ft. 3.00

5.6 ft.

5.00

PSEUDOTSUGA DOUGLASII (Douglas Fir)	2-3 ft. 3-4 ft.	\$2.00 2.50
(Compact specimens)	4-5 ft. 4-5 ft.	3.00 4.50
TAXODIUM DISTICHUM	5-6 ft.	3.00
THUYA		
Columbia 18- Elegantissima 18-	24 in.	1.75 2.00
Ellwangeriana (Specimen)		2.50 3.50
Ericoides		4.50 1.75
24-	24 in. 30 in.	$\frac{2.25}{2.75}$
Hoveyi24	30 in. 36 in.	$\frac{3.50}{4.50}$
Lutea (George Peabody)	15 in.	1.75 2.50
	30 in.	4.50
	4-5 ft.	$\frac{2.50}{3.50}$
Aurea Nana	24 in. 30 in.	2.75 3.50
Perfect broad 52	$\frac{1}{2}$ ft.	7.00
compact specimens { 8 Bonita (Specimen)21/	6 tt. 6-3 ft.	8.00 7.00
Conspicua	2.2 ft.	$\frac{2.25}{2.75}$
21/	5.3 ft.	3.50
3.8 Daily Nana2.2	1/2 ft. 1/2 ft.	$\frac{4.25}{2.75}$
Rosedale Hybrid	1/2 ft. 18 in.	$\frac{3.50}{1.25}$
,		
LINING OUT STOCK		
Fall or Spring Delivery		
		Price
Acer Dasycarpum, 1-yr	\$1.50 p .75 e	
Conspicua, B. & B12-18 in.	.75 e 4.00 p	ach
Carpinus Caroliniana, 1-yr	4.00 D	
Ilex Crenata, 2-yr., 2-in. pots	2.00 p	er 100
(remata transminuted IIVID ID	2.00 p 20.00 p	er 100 er 100
Crenata, transplanted	2.00 pc 20.00 pc 40.00 pc 15.00 pc	er 100 er 100 er 100 er 100
	2.00 pc 20.00 pc 40.00 pc	er 100 er 100 er 100 er 100 er 100
Opaca, transplanted	2.00 pc 20.00 pc 40.00 pc 15.00 pc 20.00 pc 25.00 pc 18.00 pc	er 100 er 100 er 100 er 100 er 100 er 100 er 100
Opaca, transplanted	2.00 pc 20.00 pc 40.00 pc 15.00 pc 20.00 pc 25.00 pc 18.00 pc 20.00 pc 22.00 pc	er 100 er 100 er 100 er 100 er 100 er 100 er 100 er 100 er 100
Opaca, transplanted	2.00 pc 20.00 pc 40.00 pc 15.00 pc 20.00 pc 25.00 pc 18.00 pc 20.00 pc	er 100
Opaca, transplanted	2.00 p 20.00 p 40.00 p 15.00 p 20.00 p 25.00 p 18.00 p 20.00 p 22.00 p 70.00 p 30.00 p 50.00 p	er 100
Opaca, transplanted	2.00 p 20.00 p 40.00 p 15.00 p 20.00 p 25.00 p 20.00 p 22.00 p 70.00 p 30.00 p 50.00 p 25.00 p	er 100 er 100
Opaca, transplanted	2.00 p 20.00 p 40.00 p 15.00 p 20.00 p 25.00 p 20.00 p 20.00 p 20.00 p 30.00 p 50.00 p 1.25 e 5.00 p	er 100
Opaca, transplanted	2.00 p 20.00 p 40.00 p 15.00 p 20.00 p 25.00 p 18.00 p 22.00 p 70.00 p 30.00 p 50.00 p 1.25 e	er 100



LINING OUT STOCK-(Continued)

LINING OUT STOCK—(Continued)	
Quercus Alba, 1-yr	\$3.00 per 100
8-12 in.	
Castanea, 1-yr4-8 in.	
8-12 in.	4.00 per 100
Coccinea, 1-yr4-8 in.	3.00 per 100
8·12 in.	4.00 per 100
Palustris, 1-yr4-8 in.	3.00 per 100
8-12 in.	4.00 per 100
Rubra, 1-yr	
8-12 in.	4.00 per 100
Retinispora Plumosa, 4-in. pots	40.00 per 100
Plumosa Aurea, 4-in. pots	40.00 per 100
Sieboldi, 4-in. pots	
Squarrosa Veitchi, 4-in. pots8-12 in.	
Sciadopitys Verticillata, 1-yr.	
Taxus Baccata, 2-yr. bedded	20.00 per 100
Canadensis, 2-yr. bedded	
Cuspidata, 2-yr. bedded	20.00 per 100
Thuya Elegantissima, 3½ in. pots	
Pyramidalis, 31/2·in. pots8·12 in.	25.00 per 100
Woodwardi, 3½-in. pots	
Thuyopsis Dolobrata, 3-in. pots	
Tsuga Canadensis, 1-yr	3.00 per 100
Caroliniana, 1-yr.	
Sieboldi, 1.yr.	
Viburnum Carlesi, 1-yr. grafts, B. & B	1.25 each
Dianitaliani Carresi, 1-yr. graits, D. & D	1.20 cach
Rhytidophyllum, 1-yr. grafts, B. & B12-18 in.	. 1.00 each

GRAFTED STOCK

Spring, April and May Delivery

Important Notice: Our scions are from selected hardy specimen plants of good form and color and are grafted on vigorous stocks of their respective families; i. e., Junipers on Junipers, Lawson Cypress varieties on Lawson, etc. Purchasers should beware of grafts on alien stocks, as generally they will not develop properly in the field.

Ne	t Price
p	er 100
Acer Palmatum Atropurpureum (Japanese Bloodleaf Maple)	\$60.00
Biota Orientalis Aurea Nana	
Conspicua	30.00
Carpinus Betulus Pyramidalis	50.00
C. Lawsoniana Alumi (see rooted cuttings)	
Triomphe de Boskoop	35.00
C. Nootkatensis Glauca	
Cornus Florida Pendula	
Rubra	
Cryptomeria Japonica Lobbi	35.00
Cydonia Japonica (Pink)	
Fagus Sylvatica Heterophylla (Cut-leaf Beech)	
Pendula	60.00
Purpurea (Copper)	50.00
Riversi (Purple)	60.00
ILEX OPACA (From fine, heavy-berried specimen)	50.00
J. Chinensis Albo-variegata	
Columnaris (Blue)	
Femina	
Fortunei	
Japonica	
Japonica Aurea	
Sargenti	
Virginalis Globosa	

GRAFTED STOCK—(Continued)

J. Virginiana Cannarti	.\$40.00
Elegantissima	
Glauca Kosteri	
Pyramidalis	
Pyramidiformis	
Schotti	
Picea Pungens Kosteriana	
Pinus Cembra	
Quercus Robur Fastigiata	. 75.00
Filicifolia	
Retinispora Filifera Aurea	
Obtusa Crippsi	
Gracilis	
Gracilis NanaLeptoclada	
Thuya Douglasi Spiralis	30.00
Elegantissima	30.00
Lutea (George Peabody)	
Plicata Gigantea (Lobbi)	. 30.00
Rosenthali	. 30.00
Siberica	. 25.00
Standishi	. 30.00
Tsuga Canadensis Sargenti (Pendulous)	. 75.00
Viburnum Carlesi	. 75.00
Rhytidophyllum	. 50.00
ROOTED CUTTINGS	
(From 2¼-in. Pots)	
Spring, April and May Delivery N	et price
	per 100
C. Lawsoniana Alumi	
Fletcheri	75 00
ILEX OPACA (From heavy-berried specimen)	. 25.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata	. 25.00 . 15.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata	. 25.00 . 15.00 . 15.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata. Pfitzeriana Stricta	. 25.00 . 15.00 . 15.00 . 15.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata. Pfitzeriana Stricta J. Communis Canadensis.	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa Hibernica	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 15.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan)	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 15.00 . 15.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis Depressa Plumosa Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 15.00 . 15.00 . 15.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis Depressa Plumosa Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 15.00 . 15.00 . 15.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa. Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 15.00 . 15.00 . 15.00 . 15.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa. Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Pisifera Aurea	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata. Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa. Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Pisifera Plumosa	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis Depressa Plumosa Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Aurea Plumosa Plumosa Plumosa Aurea.	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 10.00 . 10.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis Depressa Plumosa Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Aurea Plumosa Plumosa Plumosa Plumosa Aurea. Sieboldi	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 10.00 . 10.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa. Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Pisifera Aurea Plumosa Plumosa Plumosa Aurea Sieboldi Squarrosa Veitchi	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 10.00 . 10.00 . 10.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata. Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa. Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Aurea Plumosa Plumosa Plumosa Plumosa Aurea Sieboldi Squarrosa Veitchi Taxus Baccata	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 15.00 . 15.00 . 15.00 . 15.00 . 10.00 . 10.00 . 10.00 . 10.00 . 10.00 . 10.00 . 10.00 . 10.00 . 10.00 . 10.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis Depressa Plumosa Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Pisifera Pisifera Aurea Plumosa Plumosa Plumosa Aurea Sieboldi Squarrosa Veitchi Taxus Baccata Canadensis Cuspidata	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 15.00 . 15.00 . 15.00 . 15.00 . 10.00 . 10.00 . 10.00 . 10.00 . 10.00 . 12.00 . 12.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis Depressa Plumosa Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Pisifera Pisifera Pisifera Pisifera Sieboldi Squarrosa Veitchi Taxus Baccata Canadensis Cuspidata Thuya Douglasi Spiralis	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 15.00 . 15.00 . 15.00 . 12.00 . 10.00 . 10.00 . 10.00 . 10.00 . 12.00 . 10.00 . 10.00 . 12.00 . 10.00 . 10.0
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata. Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa. Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Aurea Plumosa Plumosa Plumosa Aurea Sieboldi Squarrosa Veitchi Taxus Baccata Canadensis Cuspidata Thuya Douglasi Spiralis. Elegantissima	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 10.00 . 10.00 . 10.00 . 10.00 . 12.00 . 12.00
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Aurea Plumosa Plumosa Aurea Sieboldi Squarrosa Veitchi. Taxus Baccata Canadensis Cuspidata Thuya Douglasi Spiralis. Elegantissima Ellwangeriana	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 15.00 . 15.00 . 15.00 . 10.00 . 10.00 . 10.00 . 10.00 . 12.00 . 10.00 . 12.00 . 12.00 . 10.00 . 10.0
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Aurea. Plumosa Plumosa Plumosa Aurea. Sieboldi Squarrosa Veitchi. Taxus Baccata Canadensis Cuspidata Thuya Douglasi Spiralis. Elegantissima Ellwangeriana Ericoides	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 15.00 . 15.00 . 15.00 . 10.00 . 10.00 . 10.00 . 10.00 . 10.00 . 12.00 . 12.00 . 10.00 . 10.0
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis Depressa Plumosa Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Pisifera Aurea Plumosa Plumosa Plumosa Plumosa Aurea Sieboldi Squarrosa Veitchi Taxus Baccata Canadensis Cuspidata Thuya Douglasi Spiralis Elegantissima Ellwangeriana Ericoides Hoveyi	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 10.00 . 10.00 . 10.00 . 10.00 . 12.00 . 12.00 . 12.00 . 12.00 . 12.00 . 12.00 . 12.00 . 10.00 . 12.00 . 10.00 . 10.0
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata. Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa. Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Pisifera Pisifera Plumosa Plumosa Plumosa Plumosa Pumosa Aurea Sieboldi Squarrosa Veitchi Taxus Baccata Canadensis Cuspidata Thuya Douglasi Spiralis. Elegantissima Ellwangeriana Ellwangeriana Ericoides Hoveyi Pyramidalis	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 10.00 . 10.00 . 10.00 . 12.00 . 12.0
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata. Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa. Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Pisifera Aurea. Plumosa Plumosa Aurea. Sieboldi Squarrosa Veitchi. Taxus Baccata Canadensis Cuspidata Thuya Douglasi Spiralis. Elegantissima Ellwangeriana Ericoides Hoveyi Pyramidalis Siberica	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 15.00 . 15.00 . 15.00 . 15.00 . 10.00 . 10.00 . 10.00 . 10.00 . 12.00 . 12.0
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Aurea. Plumosa Plumosa Plumosa Aurea. Sieboldi Squarrosa Veitchi. Taxus Baccata Canadensis Cuspidata Thuya Douglasi Spiralis. Elegantissima Ellwangeriana Ericoides Hoveyi Pyramidalis Siberica Verveneana	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 15.00 . 15.00 . 15.00 . 10.00 . 10.00 . 10.00 . 10.00 . 10.00 . 12.00 . 10.00 . 10.0
ILEX OPACA (From heavy-berried specimen) J. Chinensis Albo-Variegata. Pfitzeriana Stricta J. Communis Canadensis. Depressa Plumosa. Hibernica Oblongo-Pendula Suecica J. Horizontalis Douglasi (Waukegan) J. Sabina Retinispora Filifera Pisifera Pisifera Pisifera Aurea. Plumosa Plumosa Aurea. Sieboldi Squarrosa Veitchi. Taxus Baccata Canadensis Cuspidata Thuya Douglasi Spiralis. Elegantissima Ellwangeriana Ericoides Hoveyi Pyramidalis Siberica	. 25.00 . 15.00 . 15.00 . 15.00 . 15.00 . 15.00 . 12.00 . 12.00 . 15.00 . 15.00 . 15.00 . 12.00 . 10.00 . 10.00 . 10.00 . 12.00 . 10.00 . 10.0

